

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A processor, comprising:

a processor core; and

a memory operatively coupled to said processor core;

wherein said processor core is designed using ~~[[the]]~~ a method comprising:

selecting a cache size from given candidates;

selecting an instruction memory size from given candidates;

selecting a data memory size from given candidates;

selecting at least one of a plurality of option instructions that are provided respectively in correspondence with machine instructions to be implemented within said processor core from given candidates.

Claim 2 (Original): The processor according to Claim 1, wherein said option instructions include a dividing option instruction (DIV) and a maximum/minimum value option instruction (MINMAX).

Claim 3 (Original): The processor according to Claim 1, wherein said processor core is provided with an instruction cache and a data cache.

Claim 4 (Previously Presented): The processor according to Claim 1, wherein said cache size, said instruction memory size, said data memory size, and said option instructions are provided in RTL templates accessible by the processor core.

Claim 5 (Previously Presented): The processor according to Claim 1, wherein said method further comprises selecting optional hardware associated with said processor core.

Claim 6 (Currently Amended): A system LSI, comprising:

a processor core;

a memory operatively coupled to said processor core and a user defined module;

wherein said processor core is configured using ~~[[the]]~~ a method comprising:

selecting a cache size from given candidates;

selecting an instruction memory size from given candidates;

selecting a data memory size from given candidates;

selecting at least one of a plurality of option instructions that are provided respectively in correspondence with machine instructions to be implemented within said processor core from given candidates.

Claim 7 (Original): The system LSI according to Claim 6, wherein said option instructions include a dividing option instruction and a maximum/minimum value option instruction.

Claim 8 (Original): The system LSI according to Claim 6, wherein said processor is provided with an instruction cache and a data cache.

Claim 9 (Previously Presented): The system LSI according to Claim 6, wherein said cache size, said instruction memory size, said data memory size, and said option instructions are provided in RTL templates accessible by the processor core.

Claim 10 (Previously Presented): A method of generating a design of a system LSI using a description language, comprising:

preparing a configuration specifying a file including variable item definition information concerning a multiprocessor configuration;

creating a customized description language mode; and

logically composing said design based on said description language model, wherein said variable item definition information contains at least one item of option instruction information and information concerning a user defined module and a multiprocessor configuration.

Claim 11 (Original): The method of Claim 10, wherein said description language comprises a hardware description language (HDL).